

# BROOKS*floor*

THE NATURAL CHOICE



*brooks bros for* **hardwood flooring**

EDITION ONE





Cover main picture: HARO Tobacco Grey, Oiled (see page 19)

Cover small picture left: Timbertop Majorca,  
Smooth Subtle Grey-Brown Reactive Stain (see page 15)

Cover small picture right: Loch Rannoch (see page 10)

This page: HARO Sand Grey, Matt Lacquered (see page 19)

## ***Brooksfloor is the brand by which Brooks Bros (UK) promotes its floors.***

*We've been sourcing and trading timbers, from all corners of the world, for some sixty years which we believe places us perfectly to offer real choices in hardwood flooring.*

Our line-up majors on traditional Oak (certified French and European) and includes multi-ply, engineered and solid wood boards, in an amazing choice of surface finishes or just naturally unfinished. Plus, if you're looking for something that bit special, bespoke flooring.

With 50,000 plus square metres of flooring always held in stock we believe we offer a positive solution to any flooring project that also includes supplying matching accessories, provides the perfect finishing touch as well as the extras needed to complete the job and ensure the flooring will stand the test of time.

Our website at [www.brooksfloor.co.uk](http://www.brooksfloor.co.uk) will also guide you through our ranges and services, plus you can download our app, Brooks Bros Flooring, in the App Store or by scanning this QR code.



You may be thinking, because it looks good!

It's chic! It's 'in-vogue'! But, what you may not know are the many other benefits of owning a hardwood floor:



**It's a healthier option** - allergen producing dust mites, food spills and dust trapped in/on other floor coverings can play havoc with allergy sufferers - with hardwood nothing is hidden.



**It's easy to keep clean** - a simple brush or light vacuum keeps your hardwood floor looking great and even mud vanishes with a damp mop.



**It's first impression effect** - the sweet smell of a polished hardwood floor is always an inviting delight, which is often an advantage when buying or selling.



**It's timeless appeal** - a well-fitted, good quality, properly maintained hardwood floor should last for decades - unlike other flooring options.



**It's attainable** - whatever your budget, there's bound to be a floor just for you.



Having chosen hardwood and Brooksfloor, you now have a few more choices to make. Should it be Solid Wood? Multi-ply? or Engineered? Unfinished or a particular pre-finish?

- > **Solid Wood** - is exactly what it says it is: flooring produced from a solid piece of timber.
- > **Multi-ply** - Again, what it says it is: several layers of wood (in some cases cross-layered) bonded together to create a really strong core board that is then topped off with a solid wood top (wear) layer.
- > **Engineered** - Similar to multi-ply but normally just formed with three layers (wear, core and base).
- > **Herringbone or Chevron** - options you may not be aware of!
- > **Unfinished or Finished** - Unfinished is just that, and the choice of Finished is wide: grades, colours, oiled, lacquered, limed, stained...the list goes on...filled, brushed, distressed, and more. Check out each range for the look you're after.
- > **Now choose your floor...**



## MULTI-PLY FLOORING

### BLENHEIM

20mm and 18mm 6

### LOCH

14mm French Oak 10

### BARN

20mm French Oak 10

## ENGINEERED FLOORING

### BALMORAL

14mm and 13.5mm Oak 12

### TIMBERTOP

22mm Castle 14

22mm Chevron 15

14mm Classic Strip 15

14mm Lifestyle 17

### HARO® CLICK FIX

13.5mm Triple-layer European Oak 18

13.5mm Triple-layer European Oak 3-strip 18

## SOLID WOOD FLOORING

### BUCKINGHAM

20mm European Oak 22

18mm PEFC French Oak 22

## HERRINGBONE FLOORING

20mm Solid European Oak 24

Multi-ply French Oak 24

## BESPOKE FLOORING

25

## ACCESSORIES

Profiles 26

Underlays 28

Adhesives 29

Finishing and Aftercare 29

## RESPONSIBLE SOURCING




30

## CONTACTS

Back Page

## *blenheim*

Elegant flooring that displays all the stunning and timeless characteristics of real Oak (with a Walnut option) through 10 classic finishes (or unfinished), four board widths and a choice of board lengths that make creating a dream floor a reality!





## BLENHEIM | 20/6mm FRENCH OAK

**Grade:** Character.

**Board Dimensions:** Thickness: 20mm. Wear Layer: 6mm.

Widths: 189mm and 240mm.

Lengths: 1900mm and 2200mm (allowing max 25% nested).

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

**Pack Sizes:** 189mm: 1.796m<sup>2</sup>. 240mm: 2.112m<sup>2</sup>.

### A UV Oiled

189mm wide: M1002

### F SUV Oiled

240mm wide: M1008

### B Unfinished

189mm wide: M1001

### G Hand-Scraped, Distressed, Cognac Stained, UV Oiled

189mm wide: M1007

### C Satin Lacquered

189mm wide: M1003

### H Brushed/UV Oiled

189mm wide: M1009

### D Smoked/UV Oiled

189mm wide: M1006

Also Available:

### Raw Matt Invisible Lacquered

189mm wide: M1011

### E Unfinished

240mm wide: M1010

## BLENHEIM | 20/6mm AMERICAN BLACK WALNUT

**Grade:** Character.

**Board Dimensions:** Thickness: 20mm. Wear Layer: 6mm.

Width: 189mm. Length: 1860mm (allowing max 25% nested).

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

**Pack Size:** 1.758m<sup>2</sup>.

### I Satin Lacquered

189mm wide: M1004

### J UV Oiled

189mm wide: M1005






F



G



H



I

## BLENHEIM | 18/4mm FRENCH OAK

**Grade:** Character.

**Board Dimensions:** Thickness: 18mm. Wear Layer: 4mm.  
Widths: 127mm and 150mm. Lengths: 400mm to 1500mm random.

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

**Pack Sizes:** 127mm: 2.236m<sup>2</sup>. 150mm: 1.98m<sup>2</sup>.

### A Satin Lacquered

127mm wide: M2014  
150mm wide: M2001

### B UV Oiled

127mm wide: M2013  
150mm wide: M2002

### C Smoked/UV Oiled

150mm wide: M2003

### D Smoked/Satin Lacquered

150mm wide: M2009

### E Hand-Scraped, Distressed, Cognac Stained, Lacquered

150mm wide: M2004

### F Hand-Scraped, Distressed, Cognac Stained, UV Oiled

150mm wide: M2008

### G White Oiled


150mm wide: M2011

### H Smoked, Limed, Lacquered

150mm wide: M2012

### I Brushed, UV Oiled

150mm wide: M2015






**MULTI-PLY HERRINGBONE**  
See Page 24

## *loch*

Elegant multi-ply flooring inspired by the majesty of the Scottish Lochs that features a French Oak wear layer in a choice of six colour finishes that beautifully spotlight the characteristics of real wood.


## *barn*

As its title suggests, what you get with this multi-ply is a truly rustic looking floor with a supple UV oiled finish.





E



F



G



H

## LOCH | 14/3mm FRENCH OAK

**Grade:** Rustic.

**Board Dimensions:** Thickness: 14mm. Wear Layer: 3mm.  
Width: 180mm. Length: 1800mm (allowing max 25% nested).

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

**Pack Sizes:** 2.592m<sup>2</sup>.

### A Rannoch

Smoked, Brushed, Hand-Scraped,  
Sunken Filler, Oiled: L1001

### B Achray

Smoked, Brushed, Light White  
Grain, Sunken Filler, Oiled:  
L1002

### C Morar

Smoked, Limed, Sunken Filler,  
White Oiled: L1003

### D Tay

Brushed, Sunken Filler, Oiled.  
L1004

### E Ness

UV Oiled: L1007

### F Sheil

Brushed, Limed, Oiled: L1005

### G Tummel

Brushed, Black Grain,  
Sunken Filler, Oiled: L1006

## BARN | 20/6mm FRENCH OAK

**Grade:** Barn.

**Board Dimensions:** Thickness: 20mm. Wear Layer: 6mm.  
Width: 189mm. Length: 1900mm (allowing max 25% nested).

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

**Pack Size:** 1.796m<sup>2</sup>.

### H UV Oiled


B1001


## *balmoral*

With its choices of grades (2), finishes (10) and board widths (3), you'll be hard pressed to make an instant decision here. But, whatever your choice, you won't be disappointed with the end result.

This combination of engineered strength is perfect for fitting over underfloor heating.

In a word, Balmoral turns mediocre into 'majestic'.





## BALMORAL | 14mm PEFC FRENCH OAK

**Grades:** Rustic and Character.

**Board Dimensions:** Thickness: 14mm. Wear Layer: 4mm (nominal).  
Widths: 150mm, 180mm and 240mm.  
Length: 2200mm (allowing max 25% nested).

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

**Pack Sizes:** 150mm: 2.64m<sup>2</sup>. 180 and 240mm: 3.168m<sup>2</sup>.

### RUSTIC GRADES:

#### **A** Matt Lacquered

150mm wide: E2001  
180mm wide: E2003

#### **B** UV Oiled

150mm wide: E2002  
180mm wide: E2004

#### **C** Unfinished

180mm wide: E2007

#### **D** Hand-Scraped, Cognac Stained

180mm wide: E2005

#### **E** Hand-Scraped, Chocolate Stained

180mm wide: E2006

#### **F** Smoked, UV Oiled

180mm wide: E3003

#### **G** Brushed, UV Oiled

180mm wide: E2017

#### **H** Brushed, Matt Lacquered

180mm wide: E2018

#### Also Available:

**Raw Matt Invisible Lacquered**  
180mm wide: E2008

### CHARACTER GRADES:

#### **I** UV Oiled

240mm wide: E2014

#### **J** Matt Lacquered

240mm wide: E2015

## *timbertop*

Offered exclusively in the UK by Brooksfloor, this combination of Far Eastern and European timbers is engineered to create the most comprehensive collection of flooring products.

Engineered with 3-ply stability, these floors feature solid Oak wear layers, a 'Hevea' solid Rubberwood core, a wide choice of styles, finishes and colours with a wide selection of thicknesses, widths and lengths.



**A**



**B**



**C**



D



E



F



G



H



I

## TIMBERTOP | 22/6mm CASTLE

**Grade:** Rustic.

**Board Dimensions:** Thickness: 22mm. Wear Layer: 6mm (nominal).  
Width x Length: 190mm x 1820mm and 290mm x 2130mm.

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides. Core: Hevea solid Rubberwood.\* Finish: Bona Naturale\*

**Pack Sizes:** 190mm: 1.384m<sup>2</sup>. 290mm: 2.471m<sup>2</sup>.

### A Balmoral (290mm)

Heavy Brushed, Random-Width Effect, Bowtie Repairs, Smoked, Matt Oiled: TT1011

### B Courcheval (190mm)

Smooth Deep Grey-Brown Reactive Stain: TT1014

### C Majorca (190mm)

Smooth Subtle Grey-Brown Reactive Stain: TT1012

### D Mauritius (190mm)

Smooth Shimmering Grey Reactive Stain: TT1013

### E Whistler (190mm)

Medium Brushed Dark Reactive Stain with Deep White Surface: TT1015

### F Windsor (290mm)

Heavy Brushed, Random-Width Effect, Bowtie Repairs, Matt Oiled: TT1010

## TIMBERTOP | 22/6mm CHEVRON

**Grade:** Rustic.

**Board Dimensions:** Thickness: 22mm. Wear Layer: 6mm (nominal).  
Width: 240mm. Length: 1450mm.

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides. Core: Hevea solid Rubberwood\* with Oak balancer.

**Pack Size:** 1.392m<sup>2</sup>.

### G Matt Oiled



TT1016

### H Dark Triple Smoked with Matt Oil

TT1017

### I Heavy Brushed, Smoked with Matt Oil

TT1018





E



F



G



H



I

### TIMBERTOP | 14/3.2mm CLASSIC STRIP

**Grade:** Rustic.

**Board Dimensions:** Thickness: 14mm. Wear Layer: 3.2mm (nominal). Width: 165mm. Length: 1820mm (allowing max 50% nested).

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides. Core: Hevea solid Rubberwood.\*

**Pack Size:** 1.802m<sup>2</sup>.

#### A Snow

Lightly Brushed, White Washed, Matt Oiled: TT1002

#### C Ice

Lightly Brushed, White Grain, Matt Oiled: TT1001

#### B Earth

Lightly Brushed, Dark Stain, Matt Oiled: TT1003

#### D Shadow

Lightly Brushed, Dark Triple Smoked, Matt Oiled: TT1004

### TIMBERTOP | 14/3.2mm LIFESTYLE

**Grade:** Rustic.

**Board Dimensions:** Thickness: 14mm. Wear Layer: 3.2mm (nominal). Width: 190mm. Length: 1820mm (allowing max 20% nested).

**Board Description:** Fixing: Tongue and groove. Profile: Micro bevel on all four sides. Core: Hevea solid Rubberwood.\*

**Pack Size:** 2.075m<sup>2</sup>.

#### E Himalayas

Lightly Brushed, Deep White, Oiled: TT1003

#### H Tip Top Grey

Medium Brushed, Dark Grey, Washed, Matt Oiled: TT1006

#### F Laurentians

Lightly Brushed, Dark, Triple Smoked, Lime Grain, Matt Oiled: TT1005

#### I Zanzibar

Lightly Brushed, Grey, Washed, Matt Oiled: TT1007

#### G Spirit

Lightly Brushed, Sand Washed, Lined, Matt Oiled: TT1009

## *haro®*

Whether your choice is the offset parallel pattern of 3-strip or 1-strip (with its clear-cut, spacious Mediterranean look), Haro® has something to complement every interior layout and style – both classical and contemporary.

Plus!...laying it couldn't be simpler: just angle-engage the individual boards in a perfect, seamless fit.

**Angle in, Click, Finished!**





## **HARO® | 13.5mm EUROPEAN CLICK FIX OAK FLOORS (PEFC)**

**Grades:** Rustic and Character.

**Board Dimensions:** Thickness: 13.5mm. Wear Layer: 3mm (nominal).  
Widths: 180mm and 240mm. Length: 2200mm.

**Board Description:** Fixing: Click.

**Pack Sizes:** 3.17m².

### **RUSTIC 3-STRIP GRADES:**

**A Lacquered**  
180mm wide: 524404


**B Sand White,  
Matt Lacquered**  
180mm wide: 535414

**C Sand Grey,  
Matt Lacquered**  
180mm wide: 535418

**D Tobacco Grey, Oiled**  
180mm wide: 532982

### **CHARACTER 1-STRIP GRADE:**

**E Sand White, Oiled**  
240mm wide: 536545





## HARO® | 13.5mm EUROPEAN CLICK FIX OAK FLOORS (PEFC)

**Grades:** Rustic and Character.

**Board Dimensions:** Thickness: 13.5mm. Wear Layer: 3mm (nominal). Widths: 180mm and 240mm. Length: 2200mm.

**Board Description:** Fixing: Click. Profile: Micro bevel and square edged on all four sides.

**Pack Sizes:** 3.17m².

### RUSTIC 1-STRIP GRADES:

**A Puro Ice, Oiled**  
180mm wide: 535616

**B Sand Pure, Matt Lacquered**  
180mm wide: 535446

**C Sand Grey, Matt Lacquered**  
180mm wide: 535450

**D Tobacco Grey, Oiled**  
180mm wide: 530795  
240mm wide: 533498

**E Brushed, Matt Lacquered**  
180mm wide: 535448

**F Smoked, Matt Lacquered**  
180mm wide: 535466

**G Earth, Oiled**  
180mm wide: 535621

**H Puro White, Oiled**  
240mm wide: 533497

**I Deep Brushed, Oiled**  
240mm wide: 533495

Also Available:  
**Sand White, Matt Lacquered**  
180mm wide: 535444



## *buckingham*

If you're looking for the warmth, smell and strength of real wood, our Buckingham solid Oak floors offer just that.

Our Oak comes from well-managed, sustainable European forests. Choose from classical unfinished character grade or cottage grade supplied lacquered or oiled.

These are our 'crème de la crème' floors offering fantastic value for money!





### BUCKINGHAM | 20mm SOLID EUROPEAN OAK

**Grade:** Character.

**Board Dimensions:** Thickness: 20mm. Widths: 120mm, 140mm, 160mm, 180mm and 200mm. Lengths: 800mm to 2200mm.

**Board Description:** Fixing: Tongue and groove. Profiles: Micro bevel on two sides. Square edged.

**Pack Size:** Boards of random lengths.

#### **A** Unfinished, Sanded and Filled with Square Edge Profile

120mm wide: S4011  
140mm wide: S4007  
160mm wide: S4013  
180mm wide: S4015  
200mm wide: S4009

#### **B** Unfinished, Sanded and Filled with Micro Bevel Profile

120mm wide: S4010  
140mm wide: S4006  
160mm wide: S4012  
180mm wide: S4014  
200mm wide: S4008



### BUCKINGHAM | 18mm SOLID PEFC FRENCH OAK

**Grade:** Cottage

**Board Dimensions:** Thickness: 18mm. Widths: 125mm and 150mm. Lengths: 400mm to 1500mm.

**Board Description:** Fixing: Tongue and groove. Profiles: Micro bevel on all four sides.


**Pack Sizes:** 125mm: 2.2m<sup>2</sup>. 150mm: 1.98m<sup>2</sup>.

#### **C** Satin Lacquered

125mm wide: S4002  
150mm wide: S4004

#### **D** UV Oiled

125mm wide: S4003  
150mm wide: S4005



**SOLID HERRINGBONE**  
See Page 24

## *herringbone*

Of all of our floors, this is possibly the most eye catching from a vintage, classical angle. Check out the Chevron pattern for the perfect herringbone effect.



### **HERRINGBONE | 22mm SOLID EUROPEAN OAK**

**Grade:** Character and Prime.

**Board Dimensions:** Thickness: 22mm. Width: 70mm.  
Length: 280mm.

**Board Description:** Fixing: Tongue and groove. Profile: Square edged.

**Pack Size:** 0.784m<sup>2</sup>.

#### **Character Grade:**

**Unfinished:** H1001

**Tumble Unfinished:** H1003

**Smoked Tumbled  
Unfinished:** H1008

#### **Prime Grade:**

**Unfinished:** H1002

### **HERRINGBONE | MULTI-PLY FRENCH OAK**

**Grade:** Select.

**Board Dimensions:** Thickness: 18/3mm. Width: 120mm.  
Length: 600mm.

**Board Description:** Fixing: Tongue and groove.

**Profile:** Micro bevelled all round.

**Pack Size:** 1.44m<sup>2</sup>.

#### **Unfinished:**


**18/3mm:** H1009

**BESPOKE  
FINISHING  
AVAILABLE**

**EXCITING NEW  
RANGE AVAILABLE  
EARLY 2019**

## *bespoke flooring*

If you're wanting something that's a bit special: something you haven't seen as you've browsed the book, we're the people to talk to.



Brooks Bros' state-of-the-art mill facilities are equipped with a range of 23 moulders (including Weinig Powermat 500, 1500 and 3000 new generation moulders). Which means the solid wood floor you want to specifically match a personal taste: whether a big production run or a smaller job, is possible. You can have the flooring supplied to any size, unfinished or we will finish to your specification.

## *skirting - american white oak (unfinished)*



**A**



**B**



**C**



**D**



**E**



**F**

**A** Pencil Round/Chamfered and Rounded, Reversible 19 x 75mm  
P1021

**B** Pencil Round/Chamfered and Rounded, Reversible 19 x 94mm  
P1022

**C** Ogee/Chamfered and Rounded, Reversible 19 x 118mm  
P1003

**D** Ogee/Torus 19 x 140mm  
P1004

**E** Pencil Round/Chamfered Rounded, Reversible 19 x 140mm  
P1023

**F** Ogee/Chamfered, Reversible 19 x 165mm  
P1005

## *architrave - american white oak (unfinished)*



**G**



**H**



**I**



**J**

**G** Ogee 19 x 68mm  
P1018

**H** Chamfered and Rounded 19 x 68mm  
P1006

**I** Torus 19 x 68mm  
P1007

**J** Pencil Round 19 x 68mm  
P1020

**Chamfered 19 x 68mm**  
P1019

## *trim - american white oak (unfinished)*



**K**



**L**



**M**



**N**

**K** Quadrant 19 x 19mm  
P1008

**L** Scotia 19 x 19mm  
P1009

**M** End Section 21 x 35mm  
P1013

**N** Large Cover Strip 6 x 40mm  
P1014

**Small Cover Strip 6 x 25mm**  
P1015

**Windowboard 18 x 218mm**  
W1001

**Stair Nosing 44 x 60mm**  
Z1011 (Oak Lacquered: Z1010)

**Pipe Covers - Sizes vary**  
(Unfinished, Lacquered, Cognac) A7001

## *thresholds - american white oak (unfinished)*



**O**



**P**



**Q**

**O** Large Ramp 26 x 84mm  
P1010

**Small Ramp 20 x 64mm**  
P1011

**P** Semi Ramp 27 x 50mm  
P1024

**Q** T Section 21 x 55mm  
P1012

**VARIOUS FINISHES:**  
**Ramp 21 x 63mm**

Oiled, Lacquered, Smoked,  
Cognac, Chocolate, Walnut  
Z5001

**Twin 16 x 50mm**  
Oiled, Lacquered, Smoked,  
Cognac, Chocolate, Walnut  
Z5002

**Semi Ramp 21 x 57mm**  
Z5003

**End Section 19 x 40mm**  
Z5004

**Perimeter 16 x 30mm**  
Z5005

**Scotia 19 x 19mm**  
Z5006

## installation

Creating the best wooden floor requires proper preparation, the right tools for the job, matching accessories and the after-care essentials to keep your dream floor looking good and extend its life considerably.



We have everything you need to take you through the job. Starting with underlays and adhesives. Next, the eye-to-detail finishing touches - the matching profiles (see pages 26/27) that complete the picture. Then, the oils and lacquers to add the finishing touch. If you're installing the floor yourself, follow all instructions carefully and, if you're not sure about any aspect of the work, please contact your usual/nearest Brooksfloor Showroom or Brooks Bros Sales Desk (see back cover).

## underlays



A



B



C



D



E



F

- A Timbertec Acoustic Plus** | 5mm rubber with gold moisture barrier | 8m<sup>2</sup> | U4010
- B Timbertec Silver Plus** | 3mm rubber with silver foil moisture barrier | 10m<sup>2</sup> | U4002
- C Barrier Plus** | 3mm foam with polythene moisture barrier | 15m<sup>2</sup> | U4001
- D Quicktherm** | 1.8mm perforated foam (for use with UFH) | 10m<sup>2</sup> | U4008
- E Basic** | 2mm foam | 15m<sup>2</sup> | U4007
- F Vapourtape** | For use with Timbertec underlays | 25m | U4009

## adhesives



**G**



**H**



**I**



**J**



**K**



**L**

- G ProFlex Ultra MS Polymer** | For use with all wooden flooring up to 400mm wide | 16kg | A3010
- H ProFlex Contract MS Polymer** | For use with Engineered/Multi-ply boards up to 190mm wide | 16kg | A3019
- I FloorPrep Fastrack Liquid DPM** | For use with ProFlex Ultra and Contract adhesive | 5L | A3011
- J FloorPrep Surface Binder Liquid Primer** | For use with ProFlex Ultra and Contract adhesive | 5L | A3014
- K FloorPrep PVA Wood Flooring Adhesive** | 1kg | A3017
- L ProFloor Gun Cannister** | 600ml | A3005 | **ProFloor Ultra Gun Grade MS Polymer** | 600ml | A3013  
**ProFloor Contract Gun Grade MS Polymer** | 600ml | A3015

## finishes & aftercare



### FINISHES:

- Bona Prime Classic Lacquer** | Pack size: 3 x 5L | A1001
- Bona Prime Traffic HD Lacquer** | Pack size: 3 x 5L | A1002
- Bona Mega Lacquer** | Pack size: 3 x 5L | A1003
- Osmo Satin/Matt Hardwax Oil** | 125ml | A2001
- Osmo Satin/Matt Hardwax Oil** | 75ml | A2005
- Osmo Satin/Matt Hardwax Oil** | 2.5L | A2007
- Osmo Wood Filler Mid Oak and Ebony** | 250g | A2009

### AFTERCARE:

- Osmo Spray Mop** | For oiled floors | A2020
- Osmo Spray Mop Refill** | For oiled floors | A2021
- Bona Spray Mop** | For lacquered floors | A1008
- Bona Spray Mop Refill** | For lacquered floors | A1010
- Osmo Maintenance Oil** | Satin/Matt | A2023

## responsible sourcing

*As forests around the world come under increasing pressure, it has never been more urgent to ensure that the timber-based products that we source support environmentally sound and socially beneficial practices - a promise that we will pass on to our customers.*

Guiding us in our day-to-day purchasing, we operate a Responsible Sourcing Policy that is informed by the latest regulatory, technological and market developments appropriate to our business. We take a systematic approach to ensure the legal origin of the timber in our products and to comply with the EU Timber Regulation and Construction Products Regulation.

However, we must look beyond legality as the laws in many countries do not necessarily equate to sustainability. That is why we source from companies that manage their forests responsibly and are able to demonstrate this through independent certification

according to internationally recognised standards. Where this is not possible, we work with our suppliers to transition towards more responsible practices.

Our certified products meet the UK government's procurement policy, specified by the Central Point of Expertise (CPET). They also lead to credit awards in BREEAM, a leading design and assessment method for sustainable buildings.

For more about how we are tackling the environmental impacts of our business read our Environmental Strategy at [www.brookstimmer.co.uk/environment.php](http://www.brookstimmer.co.uk/environment.php)

### EUTR

We have implemented a Due Diligence System which was developed by an EU Timber Regulation approved monitoring organisation, tailored to our businesses, that provides us with a steadfast assurance that we comply with the regulatory requirements. We map our supply chains to determine origin of timber and the company involved in its processing and trading.

### NATURE'S BARCODE™

To boost its responsible sourcing efforts, Brooksfloor is the first timber company in the UK to participate in the Nature's Barcode™ third party verification of supply chains. This ensures products are legally harvested and manufactured with consistent constituent species and origin.

For flooring users, this offers constant reassurance. You can be sure that Nature's Barcode™ products come with assurance of species, are traceable back to known forest areas and conform to national laws at

every stage of the supply chain. Scientific testing is a truly independent way to verify the claimed origin of the wood used in production of the flooring. For Brooksfloor products sourced in China, testing confirms that its White Oak is of Western Europe, and not illegal, origin.

A quick scan of the Nature's Barcode™ QR code displayed on pallets and individual flooring packs takes you to the specific product page on Nature's Barcode website that confirms the origin and composition of the flooring in front of you.

For more about the verification system as applied to Brooks Bros and Brooksfloor products visit [www.naturesbarcode.com/brooks-bros](http://www.naturesbarcode.com/brooks-bros) where information on the origin products and the verification programme are displayed.

Our brochure is printed on certified Gallery Satin paper.





**Maldon:** Blackwater Place | The Causeway | Maldon | Essex CM9 4GG  
**Telephone:** 01621 877431 | **Email:** flooringsouth@brookstimber.co.uk

**Nottingham:** Lenton Lane | Nottingham NG7 2PR  
**Telephone:** 0115 993 1138 | **Email:** flooring@brooksmidlands.co.uk

**Sewstern:** Gunby Road | Sewstern | Grantham | Lincolnshire NG33 5RD  
**Telephone:** 01476 861097 | **Email:** flooring@brooksmidlands.co.uk

**Skelmersdale:** 1-3 Glebe Road | Gillibrands | Skelmersdale | Lancashire WN8 9JP  
**Telephone:** 01695 553700 | **Email:** flooringnorth@brookstimber.co.uk

**[www.brooksfloor.co.uk](http://www.brooksfloor.co.uk)**

Details stated throughout this publication represent a fair description of the product or service offered and are given without liability. Availability and sizes are subject to confirmation at the time of order. Colours are as accurate as photographic and printing process allow. All goods are sold as per Brooks Bros Terms of Trading - a copy of which is available on request.